Form PTO 1449 (Modified)		U.S. DEPARTMENT OF COMMERCE			ATTY DOCKET NO.		SERIAL NO.			
			PATENT AND TRADEMARK OFFICE		243847US23CONT		New Application			
					APPLICANT					
LIST OF REFERENCES CITED BY APPLICANT					Thomas M. WALKER et al					
					FILING DATE		GROUP			
					Herewith					
U.S. PATENT DOCUMENTS										
EXAMINER INITIAL			DOCUMENT NUMBER	DATE	NAME	CLASS	SUB FILING DATE CLASS IF APPROPRIATE			
ML		AA	5,255,187	10/19/93	Sorensen					
		АВ	5,812,984	09/22/98	Goltra					
		AC	5,823,949	10/20/98	Goltra					
		AD	5,924,074	07/13/99	Evans					
		AE	5,832,450	11/3/98	Myers, et al.					
		AF	6,113,540	09/5/00	Hiff					
		AG	5,974,389	10/26/99	Clark, et al.					
	一	AH	5,950,168	09/07/99	Simborg, et al.					
		AI	5,935,060	08/10/99	Hiff	<u> </u>				
	<u> </u>	AJ	6,154,750	11/2000	Roberge et al					
		AK	6,064,671	5/2000	Killian					
	一十	AL	6,338,039	1/2002	Lonski et al		-			
,	,	AM	6,081,809	6/2000	Kumagai					
A	/	AN	6,026,363	2/2000	Shepard					
ML		AO	6,272,470	8/2001	Teshima					
FOREIGN PATENT DOCUMENTS										
			DOCUMENT NUMBER	DATE	COUNTRY		TRANSLATION YES NO			
		AP								
		AQ								
		AR								
		AS								
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.)										
M	ML Computer Speech Recognition in Psychiatry," by John S. Leipsic, M.D., Psychiatric Times, August 1998, Vol. XV, Issue 8									
ML		AU	"Acuity Screen," www.erchoice.com, ER Records, Inc. Copyright 1999, Revised August 22, 2000, 2 pages.							
ML	ML AV "Active Patient Screen," www.erchoice.com, ER Records, Inc. Copyright 1999, Revised August 22, 2000, 1 page									
····Mī		AW	MedTech"USA"Medical Software to Expand Your Knowledge; Diagnosis Pro; Comprehensive Glassification of Fractures: The Lung-Bones; 2-pages /NO DATE/							
MI A		AX	Ductors; 59t-Ductor (f australia.com/lice/6glm		r pages /NO DATE/	Additional References sheet(s) attached			sheet(s) attached	
Examiner /Miranda Le/ (08/08/2006)						Date Considered 08/08/2006				
	*Examiner: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.									